

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	77	aromatic near polycarbonate and branch\$4 and transesterif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:12
L2	33	aromatic near polycarbonate and branch\$4 and transesterif\$6 near20 polycarbonate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:12
L3	32	aromatic near polycarbonate and branch\$4 and transesterif\$6 near20 polycarbonate and (molecular or mw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:13
L4	10	aromatic near polycarbonate near20 branch\$4 and transesterif\$6 near20 polycarbonate and (molecular or mw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:13
L5	1	aromatic near polycarbonate near20 branch\$4 and transesterif\$6 near20 polycarbonate and (molecular or mw) and cyclo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:14

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

aromatic polycarbonate branched and transesterification polycarbonate

[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web Results 1 - 10** of about **116** for **aromatic polycarbonate branched and transesterification polycarbonate****Polycarbonate resin compositions and articles therefrom - Patent ...**

**Polycarbonate** Resin Component. **Aromatic polycarbonate** resins suitable for ... case the weight average **molecular weight Mw** of the **polycarbonate** component is ...  
[www.freepatentsonline.com/6518340.html](http://www.freepatentsonline.com/6518340.html) - 54k - [Cached](#) - [Similar pages](#)

**Aromatic polyether ketones - Patent 4964890**

The **molecular weights Mw** (weight average **molecular weight**, as determined by gel ... they are elastic, and elastic **polycarbonate**-polyether block copolymers. ...  
[www.freepatentsonline.com/4964890.html](http://www.freepatentsonline.com/4964890.html) - 73k - [Cached](#) - [Similar pages](#)  
[ [More results from www.freepatentsonline.com](#) ]

**United States Patent Application: 0030100642**

[0014] **aromatic Polycarbonate** resins suitable for use as the ... in which case the weight average **molecular weight Mw** of the **Polycarbonate** component is the ...  
[appft1.uspto.gov/.../20030100642&RS=DN/20030100642](http://appft1.uspto.gov/.../20030100642&RS=DN/20030100642) - 47k - Supplemental Result - [Cached](#) - [Similar pages](#)

**United States Patent Application: 0040253400**

**Polycarbonate** blends include blends of linear **polycarbonate** and **branched** ... To ensure miscibility with the **aromatic polycarbonate** at least part of R should ...  
[appft1.uspto.gov/.../20040253400&RS=DN/20040253400](http://appft1.uspto.gov/.../20040253400&RS=DN/20040253400) - 59k - [Cached](#) - [Similar pages](#)  
[ [More results from appft1.uspto.gov](#) ]

**Polycarbonate mixtures in optical applications - US Patent 5132154**

of a thermoplastic, **aromatic Polycarbonate** resin containing carbonate ... the **molecular weights Mw** (weight average **molecular weight**, determined by gel ...  
[www.patentstorm.us/patents/5132154.html](http://www.patentstorm.us/patents/5132154.html) - 88k - Supplemental Result - [Cached](#) - [Similar pages](#)

**Dihydroxydiphenyl cycloalkanes, their production and their use for ...**

the **polycarbonate** obtainable by the process according to the invention ... to high **molecular weight**, thermoplastic, **aromatic polycarbonates** having **Mw** values ...  
[www.patentstorm.us/patents/4982014.html](http://www.patentstorm.us/patents/4982014.html) - 98k - Supplemental Result - [Cached](#) - [Similar pages](#)  
[ [More results from www.patentstorm.us](#) ]

**[PDF] Routes to New Aromatic Polycarbonates with Special Material Properties**

File Format: PDF/Adobe Acrobat

any other **aromatic polycarbonate**. Another advantage of. bisphenol-TMC-polycarbonates is ... and the **molecular weight Mw**. for a CD-type. (I). and standard ...  
[doi.wiley.com/10.1002/anie.199115981](http://doi.wiley.com/10.1002/anie.199115981) - [Similar pages](#)

**Bandwidth Market, Ltd**

... step of contacting at least one **aromatic** amine bearing a hydroxy group with a ... [0044]  
in any process for preparing a **polycarbonate** a **molecular weight** ...  
[bandwidthmarket.com/resources/patents/apps/2002/10/20020161164.html](http://bandwidthmarket.com/resources/patents/apps/2002/10/20020161164.html) - 114k - Supplemental Result - [Cached](#) - [Similar pages](#)

**Bandwidth Market, Ltd**

the method of claim 65 wherein at least one **polycarbonate** is prepared in the ... provides polymer with very high weight average **molecular weight (Mw)**, ...  
bandwidthmarket.com/resources/ patents/apps/2002/10/20020156229.html - 260k -  
Supplemental Result - [Cached](#) - [Similar pages](#)  
[ [More results from bandwidthmarket.com](#) ]


**High flow misible polycarbonate polyester composition patent**

TM. bisphenol A-type **polycarbonate** resins. [0037] The preferred polycarbonates are preferably high **molecular weight aromatic** carbonate polymers have an ...  
www.freshpatents.com/ High-flow-misible-polycarbonate-polyester-composition-  
dt20050526ptan20050113533.php?... - 68k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Gooooogle ►

Result Page: 1 2 3 4 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

aromatic polycarbonate branched ar

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

aromatic polycarbonate branched and transesterification polycarbonate and (m...

[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 11 - 20 of about 116 for aromatic polycarbonate branched and transesterification polycarbonate and (m...[\[PDF\] thomsonscientific.jp/support/userguides/polymer/pd...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#)[\[doc\] Cyclocarbonate based polymers including Non-isocyanate ...](#)File Format: Microsoft Word - [View as HTML](#)A series of **polycarbonate** and copolycarbonate macrodiols was prepared by using an ester ... Linear and **branched** amino-containing adducts based on di- and ...[www.rcsa.ru/doc/Full%20text%20Figovsky.doc](#) - [Similar pages](#)[\[PDF\] www.thomsonderwent.com/derwenthome/media/support/u...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#)[\[PDF\] PUBLIKATIONEN 1998](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Cyclodextrins in Polymer Synthesis: Free Radical Polymerization of **Cyclo-** ... Structure and Optical Properties of **Polycarbonate** Films with microcrystallites ...[www.mwz.uni-mainz.de/seiten/berichte/publi1998.pdf](#) - [Similar pages](#)[www.cetec.br/PI/Conteudo/3%20Apoio/demonstra%E7%E3...](#)File Format: Unrecognized - [View as HTML](#)Supplemental Result - [Similar pages](#)[\[PDF\] deposit.ddb.de/cgi-bin/dokserv?idn=971536392&d...](#)

File Format: PDF/Adobe Acrobat

Supplemental Result - [Similar pages](#)[\[PDF\] Division of Polymer Chemistry ABSTRACTS](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**polycarbonate**, and polyhydroxystyrene show changes in the apparent glass ... supported polystyrene (PS) films is studied over a **molecular** weight (**MW**) ...[www.chemistry.org/portal/resources/ACS/Subportals/polymer/poly\\_spring05.pdf](#) -[Similar pages](#)[\[PDF\] Rare earth-doped polymer optical waveguide amplifiers ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... In each case, soluble polyphenol complexes were formed with high **molecular** weights.... Effect of **molecular** architecture on the thermotropic behavior of poly ...[www.chemistry.org/portal/a/ContentMgmtService/](#)[resources/ACS/Subportals/polymer/separates.pdf](#) - Supplemental Result - [Similar pages](#)[\[ More results from www.chemistry.org \]](#)[\[PDF\] 3897-prelims 1..16](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)tion or **transesterification** reactions, once the optimal level of hydration has ... Following the synthesis of low-**molecular**-weight prepolymer **polycarbonate** ...[www.oup.com/pdf/0195154835\\_combined.pdf](#) - [Similar pages](#)

[PDF Derwent World Patents Index](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Branched** chain aliphatic monoolefinic hydrocarbon, other. BT. (Cyclo)aliphatic ...

**Polycarbonate**. NT. Unsaturated polyester. NT. Saturated polyester (96) ...

[www.thomsonscientific.com/media/scpdf/polindthes.pdf](http://www.thomsonscientific.com/media/scpdf/polindthes.pdf) - [Similar pages](#)

◀ Gooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

aromatic polycarbonate branched and transe

[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 21 - 30 of about 116 for **aromatic polycarbonate branched and transesterification polycarbon**[\[PDF\] Derwent World Patents Index](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**Branched** chain aliphatic monoolefinic. hydrocarbon, other ... **Polycarbonate**. P0862

P0839 F41 F44 D01 D63. P0873. Unsaturated polyester ...

[www.thomsonscientific.jp/training/material/polindrefman.pdf](http://www.thomsonscientific.jp/training/material/polindrefman.pdf) - [Similar pages](#)[ [More results from www.thomsonscientific.jp](#) ][Hawley's Condensed Chemical Dictionary \(14th Edition\)](#)**branched** chain bran oil brasilin brass brassidic acid von Braun reaction Brazil wax ...**polycarbonate** polycarboxylic acid polychlor polychlorinated biphenyl ...[www.knovel.com/knovel2/Toc.jsp?BookID=704&pager.offset=250-444k](http://www.knovel.com/knovel2/Toc.jsp?BookID=704&pager.offset=250-444k) -[Cached](#) - [Similar pages](#)[\[PDF\] Mass spectra of copolymers](#)

File Format: PDF/Adobe Acrobat

**molecular** chains terminated with one type of end group or ... are widely different (for instance, when an **aromatic** group ...[doi.wiley.com/10.1002/mas.10021](http://doi.wiley.com/10.1002/mas.10021) - [Similar pages](#)[\[PDF\] CHEMICAL AND PROCESS DESIGN HANDBOOK](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)The average **molecular** weight **MW** of acetal copolymers may be esti- ... **Polycarbonate** resins are a variety of polyester in which a derivative of ...[ce.keimyung.ac.kr/Link/Process%20design/Chemical.Process.and.Design.Handbook.pdf](http://ce.keimyung.ac.kr/Link/Process%20design/Chemical.Process.and.Design.Handbook.pdf) -[Similar pages](#)[\[PDF\] SOLID-STATE OLEFIN METATHESIS By GARRETT W. OAKLEY A DISSERTATION ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**polycarbonate** industries, for they are also step-growth polymers that have a distribution. of **molecular** weights within the prepolymer (at equilibrium, M ...[purl.fcla.edu/fcla/etd/UFE0007900](http://purl.fcla.edu/fcla/etd/UFE0007900) - [Similar pages](#)[\[PDF\] Derwent World Patents Index](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... B5049 1,2 or 3,4 diene polymer [properties] BT Degree of types of polymer structure BT

**Molecular** properties BT Structural properties ...<https://www.thomsonscientific.jp/support/userguides/polymer/pdf/polindthes.pdf> -Supplemental Result - [Similar pages](#)[\[PDF\] docserver.bis.uni-oldenburg.de/publikationen/disse...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#)[Chemistry - Publications Chemistry RDF, 6.1mb <RDF Zip, 523kb ...](#)... (SPM) study of the solvent induced crystallisation of **polycarbonate** thin films, 1996 ...MORLEY JO, **Molecular** Modelling Studies on **Aromatic** Sulfonation ...[www.hyphen.info/rdf/hero/18\\_ra2\\_author.php](http://www.hyphen.info/rdf/hero/18_ra2_author.php) - 2793k - [Cached](#) - [Similar pages](#)

<ftp.cc.monash.edu.au/pub/nihongo/ediclsd4.gz>

File Format: Unrecognized - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [P 2001-2003 CIVR](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Environmental monitoring of semi-volatile polycyclic **aromatic** hydrocarbons by means of diffusive sampling ... **Polycarbonate**/Poly(methyl methacrylate) Blends ...

[www.cnr.it/documenti/DocumentiProgrammatici/CIVR2001\\_2003.pdf](http://www.cnr.it/documenti/DocumentiProgrammatici/CIVR2001_2003.pdf) - [Similar pages](#)

◀ Gooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

aromatic polycarbonate branched and transes

[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web** Results 31 - 33 of about 116 for aromatic polycarbonate branched and transesterification polycarbon[crs.nsd.gov.tw/harvest/file\\_read.php?file=/osti/2005...](http://crs.nsd.gov.tw/harvest/file_read.php?file=/osti/2005...)File Format: Unrecognized - [View as HTML](#)Supplemental Result - [Similar pages](#)[\[PDF\] www.d2w.net/downloads/ICS\\_Info\\_Pack\\_2001.pdf](http://www.d2w.net/downloads/ICS_Info_Pack_2001.pdf)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#)[生技、醫化及中草藥專利資料庫檢索系統](#)mono(methyl-**branched** alkyl) glyceryl ether, alpha. ... **aromatic** plants, **aromatic****polycarbonate** resin, **aromatic** polycyclic diones, **aromatic** seeds ...[biotech.tipo.gov.tw/.../kmsdata/iposrh91/bin/all\\_portfolio.pro&template=search&????](http://biotech.tipo.gov.tw/.../kmsdata/iposrh91/bin/all_portfolio.pro&template=search&????)[\\_DATA\\_SINGLE=\\*\\*](#) - 1757k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 33 already displayed.*

*If you like, you can [repeat the search with the omitted results included](#).*

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#)

aromatic polycarbonate branched ar

[Search within results](#) | [Language Tools](#) | [Search Tips](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google